

Supplementary Table 1. Clinical findings of the pemphigus foliaceus (PF) patients kinesiotherapy submitted and no submitted

No.	Group	Cutaneous involvement	Treatment period (yr)	Concomitant medications (dosage)
1	PF under pharmacological therapy	No lesions	1	Prednisone (10 mg/day), dapsone (50 mg/day)
2	PF under pharmacological therapy	No lesions	1	Prednisone (20 mg/day)
3	PF under pharmacological therapy	No lesions	2	Prednisone (20 mg/day)
4	PF under pharmacological therapy	18% acute lesions	4	Dapsone (100 mg/day)
5	PF under pharmacological therapy	No lesions	-	Dapsone (100 mg/day)
6	PF under pharmacological therapy	54% acute lesions	20	Prednisone (60 mg/day), dapsone (100 mg/day)
7	PF under pharmacological therapy	No lesions	-	Prednisone (20 mg/day), dapsone (100 mg/day)
8	PF under pharmacological therapy	45% acute lesions	5	Prednisone (50 mg/day), puran T4
9	PF under pharmacological therapy	18% acute lesions	6	Prednisone (40 mg/day)
10	PF under pharmacological therapy	No lesions	1	Prednisone (40 mg/day)
1	PF with pharmacological therapy+kinesiotherapy	No lesions	5	Prednisone (20 mg/day)
2	PF with pharmacological therapy+kinesiotherapy	No lesions	18	Prednisone (30 mg/day), dapsone (100 mg/day)
3	PF with pharmacological therapy+kinesiotherapy	No lesions	8	Prednisone (10 mg/day), dapsone (100 mg/day)
4	PF with pharmacological therapy+kinesiotherapy	No lesions	3	Prednisone (10 mg/day), dapsone (100 mg/day)
5	PF with pharmacological therapy+kinesiotherapy	No lesions	8	Prednisone (15 mg/day), dapsone (150 mg/day)
6	PF with pharmacological therapy+kinesiotherapy	18% acute lesions	3	Prednisone (60 mg/day)
7	PF with pharmacological therapy+kinesiotherapy	45% acute lesions	7	Prednisone (20 mg/day), dapsone (100 mg/day)
8	PF with pharmacological therapy+kinesiotherapy	18% acute lesions	7	Calcort (30 mg/day), dapsone (150 mg/day)
9	PF with pharmacological therapy+kinesiotherapy	No lesions	18	Prednisone (20 mg/day), dapsone (100 mg/day)